


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
A	SEPERATED OUT FROM KIT	3/14/11	JAG	RW
B	-13 CH'D LETTERING COLOR WAS ALUMINUM IS WHITE. CH'D MATERIAL IN BOM WAS ALUMINUM IS PLASTIC. -9 CH'D MATERIAL WAS EPDM IS Y-20, BLACK.	3/12/13	BIM	RJC




B/O	PART #	QTY	DESCRIPTION	MATERIAL	B/O INFORMATION	Pg
	-01	1	T/R BUSHING REMOVAL TOOL		T/N RBW6405G08732-3G	1
	-03	1	T/R BUSHING INSTALL TOOL		T/N RBW6405G08832-3G	1
B/O	-05	1	HARD CASE	PLASTIC	PELICAN #200P-1200-E	N/S
B/O	-07	1	BOTTOM TOOL PROTECTOR	Y-20; BLACK	3 x 7-1/4 x 9-1/2 I.R. SPECIALTIES	2
B/O	-09	1	TOP TOOL PROTECTOR	Y-20; BLACK	1-3/16 x 7-1/4 x 9-1/2 I.R. SPECIALTIES	3
B/O	-11	1	RB PLACARD, (on case top)	ALUMINUM	RB41009	N/S
B/O	-13	1	INSIDE PLACARD, (lasered)	PLASTIC	1/32 x 4-5/16 x 4-11/16	4

RED BARN MACHINE	
TITLE TAIL ROTOR BUSHING KIT	
DWG NO. RBW6405G08632-3G	REV B
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	
METRIC .X ± .1mm FRACTIONS ± 1/32 ANGLES ± 5°	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 8-24-10
SHEET 1 of 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
-	--	-	-	-




(-07)
BOTTOM TOOL
CUSHION

RED BARN MACHINE

TITLE		TAIL ROTOR BUSHING KIT; PARTS	
DWG NO.	RBW6405G08632-3G-07	REV	B
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWN BY: PERRITT	
TOLERANCES ON:		APPROVED	
DECIMALS		HEAT	
.XXX ± .005		TREAT	
.XX ± .01		FINISH	
.X ± .1		SPEC	
METRIC		USED ON MODEL	
.X ± .1mm		AGUSTA	
FRACTIONS ± 1/32			
ANGLES ± 5°			
UNLESS OTHERWISE SPECIFIED			
1. BREAK ALL SHARP EDGES			
.015 x 45° PR .015 R			
2. DIMENSIONAL LIMITS APPLY AFTER PLATING			
SCALE	NTS	DATE	8-24-10
		SHEET	2 of 4


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
-	---	-	-	-



(-09)

TOP TOOL
CUSHION




RED BARN MACHINE

TITLE		REV
TAIL ROTOR BUSHING KIT; PARTS		B
DWG NO.	RBW6405G08632-3G-09	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWN BY: PERRITT
TOLERANCES ON:		APPROVED
DECIMALS	METRIC	HEAT
.XXX ± .005	.X ± .1mm	TREAT
.XX ± .01	FRACTIONS ± 1/32	FINISH
.X ± .1	ANGLES ± 5°	SPEC
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL
SCALE NTS		AGUSTA
DATE	8-24-10	SHEET
		3 of 4

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
B	-13 CH'D LETTERING COLOR WAS ALUMINUM IS WHITE.	3/12/13	BIM	RJC

ITEM	PART No.	DESCRIPTION	QTY.
1	RBW6405G08732-3G	TOOL; T/R BUSHING REMOVAL	1
2	RBW6405G08832-3G	TOOL; T/R BUSHING INSTALLATION	1

 RED BARN MACHINE			
TITLE TAIL ROTOR BUSHING KIT; PARTS			
DWG NO. RBW6405G08632-3G-13			REV B
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS METRIC .XXX ± .005 .X ± .1mm .XX ± .01 FRACTIONS ± 1/32 .X ± .1 ANGLES ± 5°		DRAWN BY: PERRITT APPROVED HEAT TREAT FINISH SPEC	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x .45" PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL AGUSTA	
SCALE N.T.S.	DATE 8-24-10	SHEET	4 of 4